

click an image to see a larger version, it might open in a pop-up window. Unfortunately, some pop-up windows can contain inappropriate content or can be a way for you to accidentally download dangerous software (called spyware or adware) onto your computer .

**What's New for Internet Explorer and Outlook Express**  
**Use the Internet Explorer Information Bar**


With Windows XP Service Pack 2 (SP2) Internet Explorer allows you to prevent most pop-up windows from appearing over pages you want to view while you're using the Internet.

### Using Pop-up Blocker

When you install SP2, Pop-up Blocker is turned on in Internet Explorer and set to the medium setting, which means it will block most automatic pop-ups. The default settings for the pop-up blocker allow you to see pop-ups that are opened when you click a link or button on a Web site. Pop-up Blocker will also play a sound and show the Information Bar when a pop-up is blocked. You can adjust these settings so that Pop-up Blocker works the way you want it to.

To change Pop-up Blocker settings


- 1 Open Internet Explorer.
2. On the **Tools** menu, point to **Pop-up Blocker**, and then click **Pop-up Blocker Settings**.



Internet Explorer Tools menu

If you want to see pop-up windows from a specific Web site, type the address (or URL) of the site in the **Address of Web site to allow** box, and then click **Add**.

**The web site address to allow is:**  
**<https://parent.calhounisd.org/bronson/parentconnect>**



Pop-up Blocker Settings window

**Tip** To temporarily allow a site to display pop-ups, click the Information Bar when it notifies you that a pop-up has been blocked. Then click **Temporarily Allow Pop-ups**.

**To block pop-ups even if they are launched when you click a link or button on a Web site**

1. **Open Internet Explorer** .
2. On the **Tools** menu, point to **Pop-up Blocker**, and then click **Pop-up Blocker Settings**.
3. Select the **High** setting in the box near the bottom of the dialog box.

**Note** If you want to see pop-ups that are blocked when you have this setting turned on, hold down the CTRL key while the window opens.

! **ToQ of Dace**

### **Troubleshooting Pop-Up Blocker**

If you've installed SP2 and you still see pop-ups in Internet Explorer, try the possible solutions below.

**.Make sure Pop-up Blocker is turned on:** Pop-up Blocker is turned on by default, but someone may have turned it off.

To turn on Pop-up Blocker

1. On the **Tools** menu, point to **Pop-up Blocker**.
2. Click Turn on Pop-up Blocker.

**Rid your system of spyware:** If you get similar pop-up windows no matter what sites you visit or even if you're not on the Web at all, you could have spyware, adware, or other software on your computer that's launching pop-ups. To stop these pop-ups, you will have to identify the software, then remove it or change its settings to stop it from launching pop-ups. To learn more about this read [How to Protect Your Computer](#)

